

Professional manufacturer for
Series Of Spray Guns

>>> www.navite.com

Navite®



Navite®

宁波成田控股集团有限公司

NINGBO NAVITE HOLDING GROUP CO.,LTD

地址：宁波海曙区高桥工业区秀丰露587号

NO.587 Xiu Feng Road Gao Qiao Industrial Estate

Haishu District Ningbo China 315174

电话：86-574-88046016/88015853/88046015

传真：86-874-88046002/88446043/88447692

网址：www.navite.com

E-mail:navite@navite.com spraygun@navite.com



宁波成田控股集团有限公司
NINGBO NAVITE HOLDING GROUP CO.,LTD





Navite®

PROFESSIONAL PAINT EQUIPMENT MANUFACTURER

FACTORY CORNER

COMPANY PROFILE



宁波成田控股集团有限公司是一家专业生产及出口喷枪的中国企业，创立于1983年。公司占地50000平方米，我们的主要产品有喷枪、无气喷枪、无气喷涂机、气动元件、气动工具及汽车修理工具等。我们依据国际的标准，拥有娴熟技艺的技术人员，并有一套对于产品的先进的研发设计体系；本公司赢得了分别来自国际上对本公司产品和服务等良好的声誉。北美，欧洲和澳大利亚是我们的主要市场。我们不断改进产品为满足世界各地的许多客户，我们通过了ISO9001, ISO14001, CE等认证，同时NAVITE品牌已经在世界15个国家注册。

NINGBO NAVITE HOLDING GROUP CO.,LTD, a professional manufacturer and exporter of spray guns in China, established in 1983. The company occupies an area of 50000 square meters. Our main products include spray guns, airless spray guns, airless pumps, air units, pneumatic tools and motor repair tools etc, which are carried out international standard. Our technologists are highly skilled and experienced. We have advanced R&D equipments and product lines.

Navite won a good reputation in the international market which relies on high quality products and good service. North America, Europe and Australia are our main markets. In order to meet many customers all over the world, and improve our products, we have passed ISO9001 ISO14001, OHSAS18000 and CE, GS authentication. Meanwhile, NAVITE trademark is also registered successfully more than 15 countries.

Navite®

泰坦 TAITEN

SVITA
ESWL

OSAKA

Daban

SPRAYIT

MENG Tian

SWL



WORKING SHOP
加工车间

ASSEMBLY SHOP
装配车间

INSPECTION WORKSHOP
检验车间



CNC CENTER
加工中心

SPRAYER ASSEMBLY
喷涂机装配

SPRAY GUN ASSEMBLY
喷枪装配



MATERIAL INSPECTION
材料检测

SPRAYER INSPECTION
喷涂机检测

SPRAY GUN INSPECTION
喷枪检测



NA2001A

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.2-2.5mm
选配口径: 1.2-2.5mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 190mm
喷幅宽度: 190mm

Air consumption: 7.5cfm
空气消耗量: 7.5cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 65.5x22x28cm/10pcs
10kgs/9kgs/CTN
尺寸: 65.5x22x28cm/10pcs
10kgs/9kgs/CTN



NA2002A

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.2-2.5mm
选配口径: 1.2-2.5mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 190mm
喷幅宽度: 190mm

Air consumption: 7.5cfm
空气消耗量: 7.5cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 65.5x22x28cm/10pcs
9.5kgs/98.5kgs/CTN
尺寸: 65.5x22x28cm/10pcs
9.5kgs/8.5kgs/CTN



NA2002B

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.2-2.5mm
选配口径: 1.2-2.5mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 190mm
喷幅宽度: 190mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 65.5x22x28cm/10pcs
9.5kgs/98.5kgs/CTN
尺寸: 65.5x22x28cm/10pcs
9.5kgs/8.5kgs/CTN



NA2002B3

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.2-2.5mm
选配口径: 1.2-2.5mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 190mm
喷幅宽度: 190mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 65.5x22x28cm/10pcs
9.5kgs/98.5kgs/CTN
尺寸: 65.5x22x28cm/10pcs
9.5kgs/8.5kgs/CTN



NA2001C

Standard Nozzle: 1.8mm
标准口径: 1.8mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 220mm
喷幅宽度: 220mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 77x27.5x28.5cm/10pcs
10kgs/8.5kgs/CTN
尺寸: 77x27.5x28.5cm/10pcs
10kgs/8.5kgs/CTN



NA2002F

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.7mm
选配口径: 1.7mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 200-250mm
喷幅宽度: 200-250mm

Air consumption: 4.5-7.5cfm
空气消耗量: 4.5-7.5cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 64x22x26cm/10pcs
9.5kgs/8.5kgs/CTN
尺寸: 64x22x26cm/10pcs
9.5kgs/8.5kgs/CTN



NA2002BS

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.2-2.5mm
选配口径: 1.2-2.5mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 190mm
喷幅宽度: 190mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 65.5x22x28cm/10pcs
9.5kgs/98.5kgs/CTN
尺寸: 65.5x22x28cm/10pcs
9.5kgs/8.5kgs/CTN



NA2002BR

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.2-2.5mm
选配口径: 1.2-2.5mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 190mm
喷幅宽度: 190mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 65.5x22x28cm/10pcs
9.5kgs/98.5kgs/CTN
尺寸: 65.5x22x28cm/10pcs
9.5kgs/8.5kgs/CTN

K2002



Standard Nozzle: 1.5mm
标准口径: 1.5mm

Operating pressure: 29psi
工作压力: 29psi

Pattern width: 190mm
喷幅宽度: 190mm

Air consumption: 5.8cfm
空气消耗量: 5.8cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 68x22x28cm/10pcs
10kgs/8.5kgs/CTN
尺寸: 68x22x28cm/10pcs
10kgs/8.5kgs/CTN

K2002B



Standard Nozzle: 1.4mm
标准口径: 1.4mm

Operating pressure: 60psi
工作压力: 60psi

Pattern width: 190mm
喷幅宽度: 190mm

Air consumption: 8.4cfm
空气消耗量: 8.4cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 66x22x28cm/10pcs
10kgs/11kgs/CTN
尺寸: 68x22x28cm/10pcs
10kgs/11kgs/CTN

S970S



Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.3-2.5mm
选配口径: 1.3-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-240mm
喷幅宽度: 180-240mm

Air consumption: 10cfm
空气消耗量: 10cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 71x42x28cm/10pcs
12kgs/10kgs/CTN
尺寸: 71x42x28cm/10pcs
12kgs/10kgs/CTN

S970G



Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.3-2.5mm
选配口径: 1.3-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-240mm
喷幅宽度: 180-240mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 71x42x28cm/10pcs
10kgs/8kgs/CTN
尺寸: 71x42x28cm/10pcs
10kgs/8kgs/CTN

NA2013



Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 240mm
喷幅宽度: 240mm

Air consumption: 12cfm
空气消耗量: 12cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 68x22x28cm/10pcs
12kgs/11kgs/CTN
尺寸: 68x22x28cm/10pcs
12kgs/11kgs/CTN

NA2012



Standard Nozzle: 1.8mm
标准口径: 1.8mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 220mm
喷幅宽度: 220mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 68x22x28cm/10pcs
12kgs/11kgs/CTN
尺寸: 68x22x28cm/10pcs
12kgs/11kgs/CTN

S980S



Standard Nozzle: 1.4mm
标准口径: 1.4mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-260mm
喷幅宽度: 180-260mm

Air consumption: 10cfm
空气消耗量: 10cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 84x24x30cm/10pcs
12kgs/11kgs/CTN
尺寸: 84x24x30cm/10pcs
12kgs/11kgs/CTN

S980G



Standard Nozzle: 1.4mm
标准口径: 1.4mm

Operating pressure: 2BAR/29Psi
工作压力: 2BAR/29Psi

Optional Nozzle: 1.3, 1.4, 1.5, 1.7, 1.9, 2.2
选配口径: 1.3, 1.4, 1.5, 1.7, 1.9, 2.2

Air Inlet: 1/4" BSP
进气接口: 1/4" BSP

Measure: 62x32x24cm/10pcs
10kgs/8kgs/CTN
尺寸: 62x32x24cm/10pcs
10kgs/8kgs/CTN

S980D



Standard Nozzle: 1.4mm
标准口径: 1.4mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-260mm
喷幅宽度: 180-260mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 71x42x28cm/10pcs
10kg/8kg/CTN
尺寸: 71x42x28cm/10pcs
10kg/8kg/CTN

S980B



Standard Nozzle: 1.4mm
标准口径: 1.4mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-260mm
喷幅宽度: 180-260mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 71x42x28cm/10pcs
10kgs/8kgs/CTN
尺寸: 71x42x28cm/10pcs
10kgs/8kgs/CTN

W106



Standard Nozzle: 1.0mm
标准口径: 1.0mm

Optional Nozzle: 0.8, 1.5mm
选配口径: 0.8, 1.5mm

Operating pressure: 0.24Mpa
工作压力: 0.24Mpa

Fluid Output: 85-250ml/min
液体流量: 85-250ml/min

Pattern width: 120-240mm
喷幅宽度: 120-240mm

Air consumption: 75, 145, 225L/min
空气消耗量: 75, 145, 225L/min

Cup capacity: 600ml
壶容量: 600ml

Measure: 52.5x33.5x21.5cm/10pcs
9kgs/8kgs/CTN
尺寸: 52.5x33.5x21.5cm/10pcs
9kgs/8kgs/CTN

W206



Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 0.8, 2.5mm
选配口径: 0.8, 2.5mm

Operating pressure: 0.29Mpa
工作压力: 0.29Mpa

Fluid Output: 240-500ml/min
液体流量: 240-500ml/min

Pattern width: 210-400mm
喷幅宽度: 210-400mm

Air consumption: 560, 200L/min
空气消耗量: 560, 200L/min

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 72x29x24cm/10pcs
9kgs/8kgs/CTN
尺寸: 72x29x24cm/10pcs
9kgs/8kgs/CTN

F-85G



Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.2-2.0mm
选配口径: 1.2-2.0mm

Working Pressure: 3-4 Bar
工作压力: 3-4 Bar

Pattern Width: 220mm
喷幅宽度: 220mm

Air Consumption: 6-11Cfm
空气消耗: 6-11Cfm

Cup Capacity: 600ml
壶容量: 600ml

Measure: 65.5x22x28cm/10pcs
10kgs/9kgs/CTN
尺寸: 65.5x22x28cm/10pcs
10kgs/9kgs/CTN

F-85S



Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.2-2.0mm
选配口径: 1.2-2.0mm

Working Pressure: 3-4 Bar
工作压力: 3-4 Bar

Pattern Width: 220mm
喷幅宽度: 220mm

Air Consumption: 6-11Cfm
空气消耗: 6-11Cfm

Cup Capacity: 1000ml
壶容量: 1000ml

Measure: 72.5x24x28.5cm /10pcs
12kg/10kgs/CTN
尺寸: 72.5x24x28.5cm /10pcs
12kg/10kgs/CTN

W306



Standard Nozzle: 1.0mm
标准口径: 1.0mm

Optional Nozzle: 0.8, 1.0, 1.3mm
选配口径: 0.8, 1.0, 1.3mm

Operating pressure: 0.24Mpa
工作压力: 0.24Mpa

Fluid Output: 60-160ml/min
液体流量: 60-160ml/min

Pattern width: 100-175mm
喷幅宽度: 100-175mm

Air consumption: 80, 145, 225L/min
空气消耗量: 80, 145, 225L/min

Cup capacity: 600ml
壶容量: 600ml

Measure: 64x20.5x25.5cm/10pcs
6kgs/5kgs/CTN
尺寸: 64x20.5x25.5cm/10pcs
6kgs/5kgs/CTN

W406



Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 0.8, 1.0, 1.3, 1.5, 2.5mm
选配口径: 0.8, 1.0, 1.3, 1.5, 2.5mm

Operating pressure: 0.24Mpa
工作压力: 0.24Mpa

Fluid Output: 60-160ml/min
液体流量: 60-160ml/min

Pattern width: 100-175mm
喷幅宽度: 100-175mm

Air consumption: 85, 160, 240L/min
空气消耗量: 85, 160, 240L/min

Cup capacity: 600ml
壶容量: 600ml

Measure: 64x22x26.5cm/10pcs
9kg/8kg/CTN
尺寸: 64x22x26.5cm/10pcs
9kg/8kg/CTN



NA2007D

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.2-1.8mm
选配口径: 1.2-1.8mm

Operating pressure: 30-35psi
工作压力: 30-35psi

Air consumption: 12CFM@43PSI
空气消耗量: 12CFM@43PSI

Cup capacity: 600ml
壶容量: 600ml

Measure: 65.5X22X28cm/10pcs
12kgs/11kgs/CTN
尺寸: 68x22x28cm/10pcs
10kgs/9kgs/CTN



NA2007F

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.2-1.8mm
选配口径: 1.2-1.8mm

Operating pressure: 30-35psi
工作压力: 30-35psi

Air consumption: 12CFM@43PSI
空气消耗量: 12CFM@43PSI

Cup capacity: 600ml
壶容量: 600ml

Measure: 65.5X22X28cm/10pcs
10kgs/9kgs/CTN
尺寸: 65.5x22x28cm/10pcs
10kgs/9kgs/CTN



PQ-1

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 100mm
喷幅宽度: 100mm

Air consumption: 110 l/min
空气消耗量: 110 l/min

Cup capacity: 400ml
壶容量: 400ml

Measure: 58×47.5×36.5cm/30pcs
10kgs/8kgs/CTN
尺寸: 58×47.5×36.5cm/30pcs
10kgs/8kgs/CTN



PQ-2

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.0-2.0mm
选配口径: 1.0-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 150mm
喷幅宽度: 150mm

Air consumption: 110L/min
空气消耗量: 110L/min

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 67.5X32X25cm/10pcs
11kgs/10kgs/CTN
尺寸: 67.5X32X25cm/10pcs
11kgs/10kgs/CTN



CP200S

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Air consumption: 14SCFM@50PSI
10SCFM@60PSI
空气消耗量: 14SCFM@50PSI
10SCFM@60PSI

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 57x37x33cm/10pcs
10kgs/9kgs/CTN
尺寸: 57x37x33cm/10pcs
10kgs/9kgs/CTN



CP200G

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Air consumption: 14SCFM@50PSI
10SCFM@60PSI
空气消耗量: 14SCFM@50PSI
10SCFM@60PSI

Cup capacity: 600ml
壶容量: 600ml

Measure: 57x37x33cm/10pcs
10kgs/9kgs/CTN
尺寸: 57x37x33cm/10pcs
10kgs/9kgs/CTN



PQ-2U

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.0-2.0mm
选配口径: 1.0-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 220mm
喷幅宽度: 220mm

Air consumption: 110L/min
空气消耗量: 110L/min

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 67.5x32x25cm/10pcs
12kgs/10kgs/CTN
尺寸: 67.5x32x25cm/10pcs
12kgs/10kgs/CTN



PQ-2UB

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.5-2.5mm
选配口径: 1.5-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 250mm
喷幅宽度: 250mm

Air consumption: 14.5cfm
空气消耗量: 14.5cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 58x37.5x31cm/10pcs
12kgs/10kgs/CTN
尺寸: 58x37.5x31cm/10pcs
12kgs/10kgs/CTN



NA2004G

Standard Nozzle: 1.3mm
标准口径: 1.3mm

Optional pressure: 1.3mm-2.0mm
选配喷嘴: 1.3mm-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 200-240mm
喷幅宽度: 200-240mm

Air consumption: 10cfm
空气消耗量: 10cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 71x42x28cm/10pcs
12kgs/10kgs/CTN
尺寸: 71x42x28cm/10pcs
12kgs/10kgs/CTN



NA2004S

Standard Nozzle: 1.3mm
标准口径: 1.3mm

Optional pressure: 1.3mm-2.0mm
选配喷嘴: 1.3mm-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 200-240mm
喷幅宽度: 200-240mm

Air consumption: 10cfm
空气消耗量: 10cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 57x36x34cm/10pcs
13kgs/11kgs/CTN
尺寸: 57x36x34cm/10pcs
13kgs/11kgs/CTN



S990G

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.2-2.0mm
选配口径: 1.2-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 110-250mm
喷幅宽度: 110-250mm

Air consumption: 11.5cfm
空气消耗量: 11.5cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 68x46x25.5cm/20pcs
14kgs/12kgs/CTN
尺寸: 68x46x25.5cm/20pcs
14kgs/12kgs/CTN



S990S

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.2-2.0mm
选配口径: 1.2-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 110-250mm
喷幅宽度: 110-250mm

Air consumption: 11.5cfm
空气消耗量: 11.5cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 56x37x29cm/10pcs
9kgs/7kgs/CTN
尺寸: 56x37x29cm/10pcs
9kgs/7kgs/CTN



NA2010G

Standard Nozzle: 1.3mm
标准口径: 1.3mm

Optional pressure: 1.3mm-2.2mm
选配喷嘴: 1.3mm-2.2mm

Operating pressure: 2Bar
工作压力: 2Bar

Pattern width: 200mm
喷幅宽度: 200mm

Air consumption: 6.6cfm
空气消耗量: 6.6cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 71x42x28cm/10pcs
10kg/8kg/CTN
尺寸: 71x42x28cm/10pcs
10kg/8kg/CTN



NA2000S

Standard Nozzle: 1.8mm
标准口径: 1.8mm

Optional Nozzle: 1.3-2.5mm
选配口径: 1.3-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-240mm
喷幅宽度: 180-240mm

Air consumption: 8.0cfm
空气消耗量: 8.0cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 58x37.5x31cm/10pcs
13kgs/11kgs/CTN
尺寸: 58x37.5x31cm/10pcs
13kgs/11kgs/CTN



S990BG

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.2-2.0mm
选配口径: 1.2-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 110-250mm
喷幅宽度: 110-250mm

Air consumption: 11.5cfm
空气消耗量: 11.5cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 68x46x25.5cm/20pcs
14kgs/12kgs/CTN
尺寸: 68x46x25.5cm/20pcs
14kgs/12kgs/CTN



S990BS

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.2-2.0mm
选配口径: 1.2-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 110-250mm
喷幅宽度: 110-250mm

Air consumption: 11.5cfm
空气消耗量: 11.5cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 56x37x29cm/10pcs
9kgs/7kgs/CTN
尺寸: 56x37x29cm/10pcs
9kgs/7kgs/CTN

NA2002B KIT



HVLP Spray Gun: 1pc/NA2002B
HVLP 喷枪: 1pc/NA2002B

Mini.Regulator: 1pc/85010
迷你调压阀: 1pc/85010

Spanner: 1pc
扳手: 1pc

Brush: 1pc
毛刷: 1pc

Blow Mold Case: 1pc
吹塑盒: 1pc

Measure: 63x37x30cm/5pcs
14kgs/12kgs/CTN
尺寸: 63x37x30cm/5pcs
14kgs/12kgs/CTN

7PC SPRAY GUN KIT



HVLP Spray Gun: 1pc/NA2002B
HVLP 喷枪: 1pc/NA2002B

Mini Spray Gun: 1pc/NA2003
迷你喷枪: 1pc/NA2003

Mini.Regulator: 1pc/85010
迷你调压阀: 1pc/85010

Spanner: 1pc
扳手: 1pc

Brush: 1pc
毛刷: 1pc

Blow Mold Case: 1pc
吹塑盒: 1pc

Measure: 72x34x27cm/5pcs
14kgs/12kgs/CTN
尺寸: 72x34x27cm/5pcs
14kgs/12kgs/CTN

NA2007 KIT



HVLP Spray Gun: 1x NA2007D
HVLP 喷枪: 1x NA2007D

Mini Spray Gun: 1x NA2007X
迷你喷枪: 1x NA2007X

Tip & Needle: 1x 1.8mm
喷嘴和喷针: 1x 1.8mm

Filter: 1Pc
过滤网: 1Pc

Spanner: 1Pc
扳手: 1Pc

Measure: 61.5x37x34cm/5Pcs/
14Kgs/12.5Kgs/CTN
尺寸: 61.5x37x34cm/5Pcs
14Kgs/12.5Kgs/CTN

NA2010KB



HVLP Spray Gun: 1x NA2010C
HVLP 喷枪: 1x NA2010C

Cup: 1x Cup 250ml
壶: 1x250ml

Brush: 1Pc
毛刷: 1Pc

Spanner: 1Pc
扳手: 1Pc

Oil: 1 Pot
油: 1 Pot

Repair kit: 1 Set
维修包: 1 Set

NA2002B+NA2003



1PC HVLP Spray Gun: NA2002B
1个HVLP 喷枪: NA2002B

1PC Mini Gun: NA2003
1个迷你喷枪: NA2003

1PC Mini Regulator: 85010
1个迷你调压阀: 85010

Size Of Nozzle: 1.4/1.0MM
喷嘴尺寸: 1.4/1.0MM

Air Inlet: 1/4" NPT
进气接口: 1/4" NPT

Air Pressure: 18-43PSI
气压: 18-43PSI

3PC SPRAY GUN KIT



2PC HVLP Spray Gun: NA2002B
2个HVLP 喷枪: 1NA2002B

1PC Regulator: 85010
1个调压阀: 85010

2PC Alumium Cup: NA-CUP-019
2个铝杯: NA-CUP-019

Size Of Nozzle: 1.4/1.7MM
喷嘴尺寸: 1.4/1.7MM

Air Inlet: 1/4" NPT
进气接口: 1/4" NPT

Air Pressure: 18-43PSI
气压: 18-43PSI

Measure: 62x45.5x42.5cm/5pcs
13kg/12kg/CTN
尺寸: 62x45.5x42.5cm/5pcs
13kg/12kg/CTN

NA2010KA



HVLP Spray Gun: 1x NA2010B
HVLP 喷枪: 1x NA2010C

Cup: 1x Cup 250ml
壶: 1Pc 壶250ml

Brush: 1Pc
毛刷: 1Pc

Spanner: 1Pc
扳手: 1Pc

Oil: 1 Pot
油: 1 Pot

Repair kit: 1 Set
维修包: 1 Set

NA2010G KIT



Spray Gun: 1PcX NA2010G
喷枪: 1PcX NA2010G

Cup: 1PcX 600ml Cup
喷壶: 1PcX 600ml Cup

Wrench tool: 1Pc
扳手工具: 1Pc

Filter: 3Pcs
过滤网: 3Pcs

Lubricant: 1 Bottle
润滑油: 1 Bottle

Quick wear parts: 1 Set
易损件: 1 Set

Brush: 1 Pc
毛刷: 1 Pc

Measure: 63x37x30cm/5pcs
14kg/13kg/CTN
尺寸: 63x37x30cm/5pcs
14kg/13kg/CTN



NA2002 KIT

HVLP Spray Gun: 2xNA2002B
HVLP 喷枪: 2xNA2002B

Mini Spary Gun: 1xNA2003
迷你喷枪: 1xNA2003

Mini Regulator: 2x85010B
迷你调压阀: 2x85010B

Spanner: 1pc
扳手: 1pc

Mini Filter: 3pc
微型过滤器: 3pc

Brush kit: 1set
刷子套件: 1set

Blow Mold Case: 1pc
吹塑模壳: 1pc

Measure: 55x55x42cm/4pcs
21kgs/19kgs/CTN
尺寸: 55x55x42cm/4pcs
21kgs/19kgs/CTN



NA2011A

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.3-2.5mm
选配口径: 1.3-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-240mm
喷幅宽度: 180-240mm

Air consumption: 11.20cfm
空气消耗量: 11.20cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 57.5x41.5x28.5cm/10pcs
20kgs/18kgs/CTN
尺寸: 57.5x41.5x28.5cm/10pcs
20kgs/18kgs/CTN



G70

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.5-2.0mm
选配口径: 1.5-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 110-280mm
喷幅宽度: 110-280mm

Air consumption: 7.5cfm
空气消耗量: 7.5cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 54.5x33.5x27.5cm/10pcs
10kgs/8kgs/CTN
尺寸: 54.5x33.5x27.5cm/10pcs
10kgs/8kgs/CTN



NA2011G-II

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-240mm
喷幅宽度: 180-240mm

Air consumption: 11.20cfm
空气消耗量: 11.20cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 68x22x28cm/10pcs
10kgs/8.5kgs/CTN
尺寸: 68x22x28cm/10pcs
10kgs/8.5kgs/CTN



NA2018A

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Operating pressure: 40-50psi
工作压力: 40-50psi

Pattern width: 200mm
喷幅宽度: 200mm

Air consumption: 11cfm
空气消耗量: 11cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 68x22x28cm/10pcs
8kgs/7kgs/CTN
尺寸: 68x22x28cm/10pcs
8kgs/7kgs/CTN



E70

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.5-2.0mm
选配口径: 1.5-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 110-280mm
喷幅宽度: 110-280mm

Air consumption: 7.5cfm
空气消耗量: 7.5cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 66x32x41.5cm/20pcs
12kgs/11kgs/CTN
尺寸: 66x32x41.5cm/20pcs
12kgs/11kgs/CTN



AS2010B

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 200-240mm
喷幅宽度: 200-240mm

Air consumption: 11.20cfm
空气消耗量: 11.20cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 68x22x28cm/10pcs
10kgs/8kgs/CTN
尺寸: 68x22x28cm/10pcs
10kgs/8kgs/CTN



W-71G

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.0-2.0mm
选配口径: 1.0-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 150-250mm
喷幅宽度: 150-250mm

Air consumption: 11.5cfm
空气消耗量: 11.5cfm

Cup capacity: 400ml
壶容量: 400ml

Measure: 51.5x41.5x29.5cm/20pcs/
16kgs/15kgs/CTN
尺寸: 51.5x41.5x29.5cm/20pcs/
16kgs/15kgs/CTN



W-71S

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.0-2.0mm
选配口径: 1.0-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 150-250mm
喷幅宽度: 150-250mm

Air consumption: 11.5cfm
空气消耗量: 11.5cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 54x39.5x29cm/20pcs/
18kgs/17kgs/CTN
尺寸: 54x39.5x29cm/20pcs/
18kgs/17kgs/CTN



NEW71G

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.0-2.0mm
选配口径: 1.0-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 150-250mm
喷幅宽度: 150-250mm

Air consumption: 11.5cfm
空气消耗量: 11.5cfm

Cup capacity: 400ml
壶容量: 400ml

Measure: 50.5x40x28.5cm/20pcs/
18kgs/16kgs/CTN
尺寸: 50.5x40x28.5cm/20pcs/
18kgs/16kgs/CTN



NEW71S

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.0-2.0mm
选配口径: 1.0-2.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 150-250mm
喷幅宽度: 150-250mm

Air consumption: 11.5cfm
空气消耗量: 11.5cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 54x39.5x29cm/20pcs/
19kgs/17kgs/CTN
尺寸: 54x39.5x29cm/20pcs/
19kgs/17kgs/CTN



W-77G

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 120-250mm
喷幅宽度: 120-250mm

Air consumption: 10.5cfm
空气消耗量: 10.5cfm

Cup capacity: 400ml
壶容量: 400ml

Measure: 68x45x21.5cm/20pcs/
20kgs/18kgs/CTN
尺寸: 68x45x21.5cm/20pcs/
20kgs/18kgs/CTN



W-77S

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 120-250mm
喷幅宽度: 120-250mm

Air consumption: 10.5cfm
空气消耗量: 10.5cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 72x29x24cm/10pcs/
11kgs/10kgs/CTN
尺寸: 72x29x24cm/10pcs/
11kgs/10kgs/CTN



W-77N

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 120-250mm
喷幅宽度: 120-250mm

Air consumption: 10.5cfm
空气消耗量: 10.5cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 72x29x24cm/10pcs/
20kgs/18kgs/CTN
尺寸: 72x29x24cm/10pcs/
20kgs/18kgs/CTN



W-71N

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Air consumption: 751/min
空气消耗量: 751/min

Dope Output: 80ml/min
流量: 80ml/min

Dope inlet pressure:
0.2(2.0)MPa(kg/cm²)
进气压力: 0.2(2.0)MPa(kg/cm²)

Power: 0.4KW
功率: 0.4KW

Weight: 1000g
重量: 1000g

Measure: 50.5x31.5x21cm/5pcs/
7kgs/6kgs/CTN
尺寸: 50.5x31.5x21cm/5pcs/
7kgs/6kgs/CTN



W-100G

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.2-2.5mm
选配口径: 1.2-2.5mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 190mm
喷幅宽度: 190mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 400ml
壶容量: 400ml

Measure: 50.5x40x28.5cm/20pcs
17kgs/16kgs/CTN
尺寸: 50.5x40x28.5cm/20pcs
17kgs/16kgs/CTN



W-100S

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.2-2.5mm
选配口径: 1.2-2.5mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 190mm
喷幅宽度: 190mm

Air consumption: 8.8cfm
空气消耗量: 8.8cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 68x22x28cm/10pcs
10kgs/9kgs/CTN
尺寸: 68x22x28cm/10pcs
10kgs/9kgs/CTN



S-710G

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.3-2.5mm
选配口径: 1.3-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-240mm
喷幅宽度: 180-240mm

Air consumption: 11.2cfm
空气消耗量: 11.2cfm

Cup capacity: 400ml
壶容量: 400ml

Measure: 50.5x40.5x28.5cm/20pcs
20kgs/18kgs/CTN
尺寸: 50.5x40.5x28.5cm/20pcs
20kgs/18kgs/CTN



S-710S

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.3-2.5mm
选配口径: 1.3-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-240mm
喷幅宽度: 180-240mm

Air consumption: 11.2cfm
空气消耗量: 11.2cfm

Cup capacity: 750ml
壶容量: 750ml

Measure: 64x31x21cm/10pcs
10kgs/9kgs/CTN
尺寸: 64x31x21cm/10pcs
10kgs/9kgs/CTN



W-200S

Standard Nozzle: 1.7mm
标准口径: 1.7mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 120-250mm
喷幅宽度: 120-250mm

Air consumption: 10.5cfm
空气消耗量: 10.5cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 72x29x24cm/10pcs
12kgs/10kgs/CTN
尺寸: 72x29x24cm/10pcs
12kgs/10kgs/CTN



W-400

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Optional Nozzle: 1.4-2.0mm
选配口径: 1.4-2.0mm

Operating pressure: 2.0-3.5bar
(29-50.75psi)
工作压力: 2.0-3.5bar(29-50.75psi)

Pattern width: 120-250mm
喷幅宽度: 120-250mm

Air consumption: 10.5cfm
空气消耗量: 10.5cfm

Cup capacity: 600ml
壶容量: 600ml

Measure: 66x22.5x26.5cm/10pcs
10kgs/9kgs/CTN
尺寸: 66x22.5x26.5cm/10pcs
10kgs/9kgs/CTN



S-770G

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.3-2.5mm
选配口径: 1.3-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 200-240mm
喷幅宽度: 200-240mm

Air consumption: 7.2cfm
空气消耗量: 7.2cfm

Cup capacity: 400ml
壶容量: 400ml

Measure: 67x40x20cm/10pcs
10kgs/8kgs/CTN
尺寸: 67x40x20cm/10pcs
10kgs/8kgs/CTN



S-770S

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.3-2.5mm
选配口径: 1.3-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 200-240mm
喷幅宽度: 200-240mm

Air consumption: 7.2cfm
空气消耗量: 7.2cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 58.5x37.5x24.5cm/10pcs
12kgs/10kgs/CTN
尺寸: 58.5x37.5x24.5cm/10pcs
12kgs/10kgs/CTN



MC-100G

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.5-2.5mm
选配口径: 1.5-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 200-280mm
喷幅宽度: 200-280mm

Air consumption: 8.5cfm
空气消耗量: 8.5cfm

Cup capacity: 400ml
壶容量: 400ml

Measure: 51.5x41.5x28.5cm/20pcs
18kgs/17kgs/CTN
尺寸: 51.5x41.5x28.5cm/20pcs
18kgs/17kgs/CTN



MC-100S

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.5-2.5mm
选配口径: 1.5-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 200-280mm
喷幅宽度: 200-280mm

Air consumption: 8.5cfm
空气消耗量: 8.5cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 59x37.5x23.5cm/10pcs
11kgs/10kgs/CTN
尺寸: 59x37.5x23.5cm/10pcs
11kgs/10kgs/CTN



F-100G

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.0-2.5mm
选配口径: 1.0-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-250mm
喷幅宽度: 180-250mm

Air consumption: 8.3cfm
空气消耗量: 8.3cfm

Cup capacity: 400ml
壶容量: 400ml

Measure: 51.5x41.5x27.5cm/20pcs
15.5kgs/14.5kgs/CTN
尺寸: 51.5x41.5x27.5cm/20pcs
15.5kgs/14.5kgs/CTN



F-100S

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.0-2.5mm
选配口径: 1.0-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-250mm
喷幅宽度: 180-250mm

Air consumption: 8.3cfm
空气消耗量: 8.3cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 59x37.5x23.5cm/10pcs
12kgs/11kgs/CTN
尺寸: 59x37.5x23.5cm/10pcs
12kgs/11kgs/CTN



F-75G

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.3-2.5mm
选配口径: 1.3-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-240mm
喷幅宽度: 180-240mm

Air consumption: 11.2cfm
空气消耗量: 11.2cfm

Cup capacity: 400ml
壶容量: 400ml

Measure: 44.5x40.5x31cm/20pcs
16kgs/15kgs/CTN
尺寸: 44.5x40.5x31cm/20pcs
16kgs/15kgs/CTN



F-75S

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.3-2.5mm
选配口径: 1.3-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-240mm
喷幅宽度: 180-240mm

Air consumption: 11.2cfm
空气消耗量: 11.2cfm

Cup capacity: 750ml
壶容量: 750ml

Measure: 82x42x24cm/20pcs
18kgs/17kgs/CTN
尺寸: 82x42x24cm/20pcs
18kgs/17kgs/CTN



F-200G

Standard Nozzle: 1.7mm
标准口径: 1.7mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 120-250mm
喷幅宽度: 120-250mm

Air consumption: 10.5cfm
空气消耗量: 10.5cfm

Cup capacity: 400ml
壶容量: 400ml

Measure: 46x42.5x33cm/20pcs
16kgs/14kgs/CTN
尺寸: 46x42.5x33cm/20pcs
16kgs/14kgs/CTN



F-200S

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.0-2.5mm
选配口径: 1.0-2.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 180-250mm
喷幅宽度: 180-250mm

Air consumption: 10.5cfm
空气消耗量: 10.5cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 65x40x23.5cm/10pcs
12kgs/11kgs/CTN
尺寸: 65x40x23.5cm/10pcs
12kgs/11kgs/CTN



NA2010C

Standard Nozzle: 1.0mm
标准口径: 1.0mm

Optional Nozzle: 1.0-1.2mm
选配口径: 1.0-1.2mm

Operating pressure: 30-35psi
工作压力: 30-35psi

Air consumption: 12cfm@43psi
空气消耗量: 12cfm@43psi

Cup capacity: 200ml
壶容量: 200ml



NA2010B

Standard Nozzle: 0.7mm
标准口径: 0.7mm

Optional pressure: 0.7mm-1.2mm
选配喷嘴: 0.7mm-1.2mm

Operating pressure: 28.6-36psi
工作压力: 28.6-36psi

Air consumption: 130L/mm
空气消耗量: 130L/mm

Cup capacity: 100ml or 200ml
壶容量: 100ml or 200ml

Measure: 48.5x36.5x20cm/20pcs
9kgs/8kgs/CTN
尺寸: 48.5x36.5x20cm/20pcs
9kgs/8kgs/CTN



NA2003B

Standard Nozzle: 0.8mm
标准口径: 0.8mm

Optional Nozzle: 1.0mm
选配口径: 1.0mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 150mm
喷嘴宽度: 150mm

Air consumption: 8.0cfm
空气消耗量: 8.0cfm

Cup capacity: 200ml
壶容量: 200ml

Measure: 48.5x36.5x20cm/20pcs
9kgs/8kgs/CTN
尺寸: 48.5x36.5x20cm/20pcs
9kgs/8kgs/CTN



NA2003F

Standard Nozzle: 0.8mm
标准口径: 0.8mm

Optional Nozzle: 1.0mm
选配口径: 1.0mm

Recommended pressure: 3.0-3.5Bar
推荐压力: 3.0-3.5 Bar

Pattern width: 130-150mm
喷嘴宽度: 130-150mm

Air consumption: 8.0cfm
空气消耗量: 8.0cfm

Cup capacity: 200ml
壶容量: 200ml

Measure: 48.5x36.5x20cm/20pcs
9kgs/8kgs/CTN
尺寸: 48.5x36.5x20cm/20pcs
9kgs/8kgs/CTN



NA2007X

Standard Nozzle: 1.0mm
标准口径: 1.0mm

Optional Nozzle: 1.0-1.2mm
选配口径: 1.0-1.2mm

Operating pressure: 25-30psi
工作压力: 25-30psi

Air consumption: 9CFM@43PSI
空气消耗量: 9cfm

Cup capacity: 125ml
壶容量: 125ml

Measure: 48.5x36.5x20cm/20pcs
9kgs/8kgs/CTN
尺寸: 48.5x36.5x20cm/20pcs
9kgs/8kgs/CTN



NA2017

HVLP Touch Up Spray Gun
HVLP 手动喷枪

Nozzle Size: 1.0mm
喷嘴口径: 1.0mm

Optional Nozzle: 0.5, 1.3mm
选配喷嘴: 0.5, 1.3mm

Working pressure: 0-10 PSI
工作压力: 0-10 PSI

Available Install: 8oz HDPE Cup
可安装: 8oz HDPE Cup



V70

Standard Nozzle: 0.8mm
标准口径: 0.8mm

Optional Nozzle: 1.0, 1.2mm
选配口径: 1.0, 1.2mm

Operating pressure: 50psi
工作压力: 50psi

Pattern Width: 100mm
喷嘴: 100mm

Cup capacity: 125ml
壶容量: 125ml

Measure: 59.5x27.5x27.5cm/20pcs
6.5kgs/5.5kgs/CTN
尺寸: 59.5x27.5x27.5cm/20pcs
6.5kgs/5.5kgs/CTN



K3

Standard Nozzle: 0.5mm
标准口径: 0.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 50mm
喷嘴宽度: 50mm

Air consumption: 7.5cfm
空气消耗量: 7.5cfm

Cup capacity: 200ml
壶容量: 200ml

Measure: 47x42x35cm/30pcs
15kgs/13kgs/CTN
尺寸: 47x42x35cm/30pcs
15kgs/13kgs/CTN



K-3A

Standard Nozzle: 0.5mm
标准口径: 0.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 50mm
喷幅宽度: 50mm

Air consumption: 7.5cfm
空气消耗量: 7.5cfm

Cup capacity: 200ml
壶容量: 200ml

Measure: 47x42x35cm/30pcs
15kgs/13kgs/CTN
尺寸: 47x42x35cm/30pcs
15kgs/13kgs/CTN



K3B

Standard Nozzle: 0.5mm
标准口径: 0.5mm

Optional Nozzle: 50-70mm
选配口径: 50-70mm

Pattern width: 50mm
喷幅宽度: 50mm

Air consumption: 7.5cfm
空气消耗量: 7.5cfm

Cup capacity: 200ml
壶容量: 200ml

Measure: 47x42x35cm/30pcs
15kgs/13kgs/CTN
尺寸: 47x42x35cm/30pcs
15kgs/13kgs/CTN



871

Standard Nozzle: 1.5mm
标准口径: 1.5mm

Optional Nozzle: 1.0-2.5mm
选配口径: 1.0-2.5mm


Operating pressure: 45psi
工作压力: 45psi

Pattern width: 180-250mm
喷幅宽度: 180-250mm

Air consumption: 110L/min
空气消耗量: 110L/min

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 60.5x37x32cm/10pcs
12kgs/11kgs/CTN
尺寸: 60.5x37x32cm/10pcs
12kgs/11kgs/CTN



PT-871

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Optional Nozzle: 1.5-3.0mm
选配口径: 1.5-3.0mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 120-250mm
喷幅宽度: 120-250mm

Air consumption: 10.5cfm
空气消耗量: 10.5cfm



K-3D

Standard Nozzle: 0.5mm
标准口径: 0.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 50mm
喷幅宽度: 50mm

Air consumption: 7.5cfm
空气消耗量: 7.5cfm

Cup capacity: 200ml
壶容量: 200ml

Measure: 47x42x35cm/30pcs
15kgs/13kgs/CTN
尺寸: 47x42x35cm/30pcs
15kgs/13kgs/CTN



K-3(R-2)

Standard Nozzle: 0.5mm
标准口径: 0.5mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Pattern width: 50mm
喷幅宽度: 50mm

Air consumption: 7.5cfm
空气消耗量: 7.5cfm

Cup capacity: 200ml
壶容量: 200ml

Measure: 47x42x35cm/30pcs
15kgs/13kgs/CTN
尺寸: 47x42x35cm/30pcs
15kgs/13kgs/CTN



871P

Spray gun: 1pc
喷枪: 1pc

Regulator: 1pc
调压阀: 1pc

Rubble Spray Tube: 1pc
橡胶喷管: 1pc

Nylon Spray Tube: 1pc
尼龙喷管: 1pc

Max pressure: 8.5 bar
最大压力: 8.5 bar

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 59.5x36.5x36cm/4pcs
10kgs/8.5kgs/CTN
尺寸: 59.5x36.5x36cm/4pcs
10kgs/8.5kgs/CTN



472C

Standard Nozzle: 1.3mm
标准口径: 1.3mm

Operating pressure: 50psi
工作压力: 50psi

Pattern width: 150mm
喷幅宽度: 150mm

Air consumption: 110L/cfm
空气消耗量: 110L/cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 57X32.5X26.5cm/10pcs
8kgs/6kgs/CTN
尺寸: 57X32.5X26.5cm/10pcs
8kgs/6kgs/CTN



472B

Standard Nozzle: 1.3mm
标准口径: 1.3mm

Operating pressure: 50psi
工作压力: 50psi

Pattern width: 170mm
喷幅宽度: 170mm

Air consumption: 110L/cfm
空气消耗量: 110L/cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 56X34X27cm/10pcs
8kgs/6kgs/CTN
尺寸: 56X34X27cm/10pcs
8kgs/6kgs/CTN



K472

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 205mm
喷幅宽度: 205mm

Air consumption: 4.3cfm
空气消耗量: 4.3cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 56X34X27cm/10pcs
8kgs/6kgs/CTN
尺寸: 56X34X27cm/10pcs
8kgs/6kgs/CTN



K472B

Standard Nozzle: 1.4mm
标准口径: 1.4mm

Operating pressure: 20-50psi
工作压力: 20-50psi

Pattern width: 205mm
喷幅宽度: 205mm

Air consumption: 4.3cfm
空气消耗量: 4.3cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 56X34X27cm/10pcs
8kgs/6kgs/CTN
尺寸: 56X34X27cm/10pcs
8kgs/6kgs/CTN



527

Standard Nozzle: 1.3mm
标准口径: 1.3mm

Operating pressure: 50psi
工作压力: 50psi

Pattern width: 150mm
喷幅宽度: 150mm

Air consumption: 110L/cfm
空气消耗量: 110L/cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 55x31x25.5cm/10pcs
7.5kgs/6.5kgs/CTN
尺寸: 55x31x25.5cm/10pcs
7.5kgs/6.5kgs/CTN



527A

Standard Nozzle: 1.3mm
标准口径: 1.3mm

Operating pressure: 50psi
工作压力: 50psi

Pattern width: 150mm
喷幅宽度: 150mm

Air consumption: 110L/cfm
空气消耗量: 110L/cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 55x31x25.5cm/10pcs
7.5kgs/6.5kgs/CTN
尺寸: 55x31x25.5cm/10pcs
7.5kgs/6.5kgs/CTN



NA112

Standard Nozzle: 1.3mm
标准口径: 1.3mm

Operating pressure: 50psi
工作压力: 50psi

Pattern width: 150mm
喷幅宽度: 150mm

Air consumption: 110L/min
空气消耗量: 110L/min

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 54X34X29cm/10pcs
7.5kgs/6.5kgs/CTN
尺寸: 54X34X29cm/10pcs
7.5kgs/6.5kgs/CTN



472E

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Operating pressure: 45psi
工作压力: 45psi

Air consumption: 110L/min
空气消耗量: 110L/min

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 57X35X30cm/10pcs
7.5kgs/6.5kgs/CTN
尺寸: 57X35X30cm/10pcs
7.5kgs/6.5kgs/CTN



872

Suction feed spray gun with internal mixing Alu-reservoir 1 Litre Suitable for applying sound-deadening paints and dense materials

Air consumption: 256L at 5 bar
空气消耗量: 256L at 5 bar

Air consumption: 1/4"
空气消耗量: 1/4" N.P.S.M

Measure: 60X41X27cm/10pcs
8kgs/6kgs/CTN
尺寸: 60X41X27cm/10pcs
8kgs/6kgs/CTN

Cup capacity: 1000ml
壶容量: 1000ml



873

Standard Nozzle: 1.3mm
标准口径: 1.3mm

Operating pressure: 50-70psi
工作压力: 50-70psi

Air consumption: 8.5cfm
空气消耗量: 8.5cfm

Cup capacity: 1000ml
壶容量: 1000ml

Measure: 60x45x27.5cm/10pcs
10kgs/9kgs/CTN
尺寸: 60x45x27.5cm/10pcs
10kgs/9kgs/CTN



82023

Nozzle: dia.4.0-8.0mm
口径: dia.4.0-8.0mm

Operating pressure: 4.5-6bar
工作压力: 4.5-6bar

Air consumption: 12-15cfm
空气消耗量: 12-15cfm

Cup capacity: 5 Liters
壶容量: 5 Liters

Measure: 71x50x28.5cm/6pcs
10kgs/8kgs/CTN
尺寸: 71x50x28.5cm/6pcs
10kgs/8kgs/CTN



82023P


Nozzle: dia.4.0-8.0mm
喷嘴: dia.4.0-8.0mm

Operating pressure: 4.5-6bar
工作压力: 4.5-6bar

Air consumption: 12-15cfm
空气消耗量: 12-15cfm

Cup capacity: 5 Liters
壶容量: 5 Liters

Measure: 71x50x28.5cm/6pcs
10kgs/8kgs/CTN
尺寸: 71x50x28.5cm/6pcs
10kgs/8kgs/CTN



84040

Sander Blasting Gun
喷砂枪

Standard Nozzle: 2.0mm
标准口径: 2.0mm

Air Inlet: 1/4" NPT or 1/4" BSP
进气接口: 1/4" NPT or 1/4" BSP

Siphon Hose Length: 1.3M
吸料管长度: 1.3M

Measure: 68.5x31.5x26cm/10pcs
10kgs/9kgs/CTN
尺寸: 68.5x31.5x26cm/10pcs
10kgs/9kgs/CTN



NA2005A

Sprayer for Laboratory and special use: Any type of liquid (similar to water) may be used. Never use sticky or tacky solutions

Measure: 60.5x32x26cm/10pcs
8kgs/6kgs/CTN
尺寸: 60.5x32x26cm/10pcs
8kgs/6kgs/CTN



82023K

Nozzle: dia.4.0-8.0mm
喷嘴: dia.4.0-8.0mm

Operating pressure: 4.5-6bar
工作压力: 4.5-6bar

Air consumption: 12-15cfm
空气消耗量: 12-15cfm

Cup capacity: 5 Liters
壶容量: 5 Liters

Measure: 71x50x28.5cm/6pcs
10kgs/8kgs/CTN
尺寸: 71x50x28.5cm/6pcs
10kgs/8kgs/CTN



82023L

Nozzle: dia.4.0-8.0mm
喷嘴: dia.4.0-8.0mm

Operating pressure: 4.5-6bar
工作压力: 4.5-6bar

Air consumption: 12-15cfm
空气消耗量: 12-15cfm

Cup capacity: 6 Liters
壶容量: 6 Liters

Measure: 90x77.5x41cm/6Pcs
12Kgs/14Kgs/CTN
尺寸: 90x77.5x41cm/6Pcs
12Kgs/14Kgs/CTN



WA-206

Standard Nozzle (标准口径): 1.0mm
 Spray distance (喷涂距离): 200mm
 Air inlet (进气接口): 1/4" BSP
 Pattern width (喷幅): 28mm
 Air consumption (空气耗气量): 270L/min
 Air pressure (空气压力): 0.29MPa/3.0kgf/cm
 Measure (尺寸): 38x19x23cm/20pcs
 10kgs/9kgs/CTN



901

Auto Sprayer(自动喷枪)

Standard Nozzle (标准喷嘴): 0.8-1.5mm
 Measure (尺寸): 38x20.5x14cm/20pcs/8kgs/6kgs/CTN



Art NO.84018(DG-10-W)

DG-10-W with polished aluminum cup,

Inlet Size(接头尺寸): 1/4" BSP or NPT
 Measure(尺寸): 58x43x43.5cm/20PCS/13kgs/11kgs/CTN



Art NO.84019(DG-10-R)

DG-10-R with Red Steel cup,

Inlet Size(接头尺寸): 1/4" BSP or NPT
 Measure(尺寸): 58x43x43.5cm/20PCS/13kgs/11kgs/CTN
 2PCS in one color box



84022

Under Coating Gun 616

Measure (尺寸): 57.5x29.5x47.5cm/20PCS/10kgs/8kgs/CTN



84522

Under Coating Gun 636

Measure (尺寸): 41x41x28.5cm/20PCS/12kgs/10kgs/CTN



84041

Under Coating Gun 626

Inlet Size(接头尺寸): 1/4" BSP or NPT
 Measure (尺寸): 57.5x29.5x48cm/20pcs/10kgs/8kgs/CTN



84021(DG-10-H)

DG-10-H with PE hose,

Inlet Size(接头尺寸): 1/4" BSP or NPT
 Measure(尺寸): 59x43.5x42cm/40pcs/14kgs/12kgs/CTN



S970A

Standard Nozzle: 1.5mm
 标准口径: 1.5mm

Operating pressure: 50-70psi
 工作压力: 50-70psi

Pattern width: 180-240mm
 喷幅宽度: 180-240mm

Air consumption: 10cfm
 空气消耗量: 10cfm

Measure: 76x24x27cm/10pcs
 11kgs/9kgs/CTN
 尺寸: 76x24x27cm/10pcs
 11kgs/9kgs/CTN



S970B

99002



99002B



99003



99005



Model: 型号	99002	99002B	99003	99005
Frequency: 频率	60/50Hz	60/50Hz	60/50Hz	60/50Hz
Voltage: 电压	110/220V	110/220V	110/220V	110/220V
Power: 功率	1/5HP	1/5HP	60W	100W
Electric Current: 电流	2A/1A	2A/1A	1.7A	2.0A
Rotational Speed: 转速	1750/1400rpm	1750/1400rpm	1700 rpm	1900 rpm
Max Pressure: 最高压力	3BAR	3 BAR	3 BAR	3 BAR
Air Delivery: 气流量	25/23L/min	25/23L/min	70 L/min	90L/min
Pressure Switch: 压力开关	3Bar	3Bar	3Bar	3Bar
Weight: 重量	3.6Kgs	3.6 Kgs	20kgs	20Kgs
Measure: 尺寸	24.5x13.5x17cm/pc	24.5x13.5x17cm/pc	53x27.5x32.5cm/3pc	50x28x34cm/3pc

Art.No.99005S



Art.No.99005T



Art.No.99005L



Art.No.99021



Model: 型号	99005S	99005T	99005L	99021
Frequency: 频率	50Hz	50Hz	50Hz	50Hz
Voltage: 电压	220V	220V	220V	220V
Power: 功率	100W	180W	120W	1100W
Electric Current: 电流	1.2A	1.6A	2.35A	7.2A
Rotational Speed: 转速	2800 rpm	2800 rpm	2800 rpm	1700 rpm
Max Pressure: 最高压力	3 Bar	3 Bar	3 Bar	5 Bar
Air Delivery: 气流量	47 L/min	74 L/min	80 L/min	200 L/min
Pressure Switch: 压力开关	2.2-3.0 Bar	2.2-3.0 Bar	2.2-3.0 Bar	4.0-5.0 Bar
Weight: 重量	21Kgs	6 Kgs	10kgs	22Kgs
Measure: 尺寸	51.5x28x27cm/3pc	30x22.5x26cm/Pc	47x19.5x33cm/pc	47.5x27.5x39.5cm/pc



NA-116A

Feed Type(供料类型): Gravity (重力式)
Standard Nozzle (标准喷嘴): 0.3mm
Optional Nozzle(选配喷嘴): 0.2mm,0.3mm,0.5mm
Cup Capacity (壶容量): 1x2CC, 1x5CC,1x13CC
Working Pressure (工作压力): 15-50PSI
Single-action Trigger Air-paint Control (双动开关)
Measure(尺寸): 45X38X31.5cm/30Pcs/12Kgs/14.5Kgs



NA-128

Feed type(供料类型): Suction (上吸式)
Standard Nozzle (标准喷嘴): 0.35mm
Optional nozzle(选配喷嘴): 0.2mm,0.35mm,0.5mm
Double-action Trigger Air-paint Control (双动开关)
Grass Jar (玻璃瓶): 2x22cc
Metal Cup (金属壶): 5cc
Regulator (调压阀): G1/4(F)-M5(M)
Metal Hanger (金属挂架): 1 pc
Spanner (扳手): 1pc
PVC Hose (PVC管): 5ft
Measure: 57x40x30cm/50Pcs/16Kgs/18.5Kgs



NA-130B

Feed Type(供料类型):Gravity (重力式)
Standard Nozzle (标准喷嘴): 0.3mm
Optional Nozzle(选配喷嘴): 0.2mm,0.3mm,0.5mm
Cup Capacity (壶容量): 7cc
Working Pressure (工作压力): 15-50PSI
Double-action Trigger Air-paint Control (双动开关)
Measure(尺寸): 55.5x42x25cm/50Pcs/15Kgs/17.5Kgs



NA-131

NA131
Feed Type(供料类型):Gravity (重力式)
Standard Nozzle (标准喷嘴): 0.3mm
Optional Nozzle(选配喷嘴): 0.2mm,0.3mm,0.5mm
Cup Capacity (壶容量): 1x20cc 1x40cc
Working Pressure (工作压力): 15-50PSI
Double-action Trigger Air-paint Control (双动开关)
Measure(尺寸): 57x40x30cm/50Pcs/16Kgs/18.5Kgs



NA-130

Feed Type(供料类型):Gravity (重力式)
Standard Nozzle (标准喷嘴): 0.3mm
Optional Nozzle(选配喷嘴): 0.2mm,0.3mm,0.5mm
Cup Capacity (壶容量): 7cc
Working Pressure (工作压力): 15-50PSI
Double-action Trigger Air-paint Control (双动开关)
Measure(尺寸): 55.5x42x25cm/50Pcs/15Kgs/17.5Kgs



NA-130A

Feed Type(供料类型):Gravity (重力式)
Standard Nozzle (标准喷嘴): 0.3mm
Optional Nozzle(选配喷嘴): 0.2mm,0.3mm,0.5mm
Cup Capacity (壶容量): 7cc
Working Pressure (工作压力): 15-50PSI
Double-action Trigger Air-paint Control (双动开关)
Measure(尺寸): 55.5x42x25cm/50Pcs/15Kgs/17.5Kgs



NA-132A

NA132A
Feed Type(供料类型):Gravity (重力式)
Standard Nozzle (标准喷嘴): 0.3mm
Optional Nozzle(选配喷嘴): 0.2mm,0.3mm,0.5mm
Cup Capacity (壶容量): 7cc
Working Pressure (工作压力): 15-50PSI
Double-action Trigger Air-paint Control (双动开关)
Measure(尺寸):55.5x42x25cm/50Pcs/15Kgs/17.5Kgs



NA-133

NA133
Feed type(供料类型): Suction (上吸式)
Standard Nozzle (标准喷嘴): 0.3mm
Optional nozzle(选配喷嘴): 0.2mm,0.3mm,0.5mm
Grass Jar (玻璃瓶): 22cc
Working Pressure (工作压力): 15-50PSI
Double-action Trigger Air-paint Control (双动开关)
Measure: 57x40x30cm/50Pcs/16Kgs/18.5Kgs



NA-135

Feed Type(供料类型): Gravity (重力式)
Standard Nozzle (标准喷嘴): 0.2mm
Optional Nozzle(选配喷嘴): 0.2mm, 0.3mm, 0.5mm
Cup Capacity (壶容量): 2cc
Working Pressure (工作压力): 15-50PSI
Double-action Trigger Air-paint Control (双动开关)
Measure(尺寸): 55.5x42x25cm/50Pcs/15Kgs/17.5Kgs



NA-138

Feed type(供料类型): Suction (上吸式)
Standard Nozzle (标准喷嘴): 0.8mm
Optional nozzle(选配喷嘴): 0.3mm, 0.5mm, 0.8mm
Cup Capacity (壶容量): 2x22cc
PU Hose(PU管): 5ft
Regulator(调压阀): G1/4" - M5
Single-action Trigger Air-paint Control with Plastic Body (单动开关及塑料枪身)
Measure: 57x40x30cm/50Pcs/15Kgs/17Kgs



NAC002

Voltage(电压): 220V/110V
Power consumption(功率): 650w
Cup Capacity(壶容量): 800ml/1000ml
Delivery(流量): 180ml/min; 300ml/min; 400ml/min
Nozzle(喷嘴): 1.8mm/2.5mm/1.0mm
Accessories(附件): 1pc viscosity cup, 1pc of cleaning pin,
Packing in colr box(包装): 350*227*198mm
Optional Nozzle(选配喷嘴): 0.5/0.8/1.0/1.8/2.0/2.5mm



NAC003

Voltage(电压): 230~240V; 50Hz / 110~127V; 60Hz
Power consumption(功率): 550w
Cup Capacity(壶容量): 700ml
Delivery(流量): 180ml/min; 300ml/min; 400ml/min
Nozzle(喷嘴): 1.8mm/2.5mm/1.0mm
Accessories(附件): 1pc viscosity cup, 1pc of cleaning pin,
Packing in colr box(包装): 300*200*180mm
Optional Nozzle(选配喷嘴): 0.5/0.8/1.0/1.8/2.0mm



NA-180

Feed type (供料类型): Gravity (重力式)
Standard Nozzle (标准喷嘴): 0.3mm
Optional nozzle(选配喷嘴): 0.2mm, 0.3mm, 0.5mm
Double-action Trigger Air-paint Control (双动开关)
Grass Jar (玻璃瓶): 9cc
Working Pressure (工作压力): 15-50PSI
Measure: 55.5x42x25cm/50Pcs/15Kgs/17.5Kgs



NA-182

Feed type供料类型: Suction (上吸式)
Standard Nozzle (标准喷嘴): 0.5mm
Optional nozzle(选配喷嘴): 0.3mm, 0.5mm, 0.8mm
Grass Jar (玻璃瓶): 22cc
Working Pressure (工作压力): 15-50PSI
Double-action Trigger Air-paint Control (双动开关)
Measure: 57x40x30cm/50Pcs/16Kgs/18.5Kgs




NAC004

Voltage(电压): 220V 50HZ / 110V 60HZ
Power consumption(功率): 800W
Cup Capacity(壶容量): 800mL
Delivery(流量): 150ml/min; 300ml/min
Nozzle(喷嘴): 1.0mm/1.8mm
Accessories(附件): 1pc viscosity cup, 1pc of cleaning pin,
Packing in colr box(包装): 270*260*300mm
N.W(重量): 2.3KGS



NAC005

Voltage(电压): 230~240V; 50Hz/10~127V; 60Hz
Power consumption(功率): 450-800W
Cup Capacity(壶容量): 800mL
Flexile-hose length(管子长度): 1.5m
Max. Viscosity(最高粘度): 80 DIN-Secs
Motor Speed r.p.m(电机转速): 32,000rpm,
Weight(重量): 2.2KGS



AIR DRYER KIT

The air dryer blows air to accelerate the drying time of waterborne and solvent paint coatings.

The air intake thanks to the venturi air in jection principle.Air consumption is 325 L/min(11.5cfm)@3.5bar(50psi).Recommended working pressure is 2-5 bar (29-73psi). Handheld or stand mounted.Independent adjustable air intake valve to control ouput.Made of corrosion resistant polished aluminum.Stainless steel air in take filter prevents contamination.No moving parts.

Flexible postioning for accurate aim of air flow.Easy to use adjustmengts-Quick connect features.Coil hose extends to 15ft.(4.6m) for spot repairs. Stand adjusts 6"to83" (15cm-211cm)in height and4" to35" (10cm-89cm)in width. Duranable chrome finish.Quick assembly.

86302A

DOUBLE DIAPHRAGM PUMP

Double Diaphragm Pumps is used at the coating field in more higher safety required.For example.The general paint coating,PU paint,UV special paint etc.all can be transferred, further more,can be connected with air spary gun,electronics spary gun & auto spray gun etc.,directly,Meanwhile,the double diaphragm pumps also can be used to circulate ink for painting.The pumps are being with compact,equal & transferred with with large volume etc.

SPECIFICATIONS

Pressure Rate: 1:1

压力比: 1:1

Painting Tank Volume: 4-200L

涂料桶容量: 4-200L

Transmitting Capacity: 5L/min(0.4kg/cm)
7.5L/min(1kg/cm)
10.5L/min(2kg/cm)

传送能力: 5L/min(0.4kg/cm)

7.5L/min(1kg/cm)

10.5L/min(2kg/cm)

Used Air Pressure: 1-5kg/cm

使用压力: 1-5kg/cm

Max.Pump Speed: 160times/min(5kg/cm)

最高速度: 160times/min(5kg/cm)

Min.Pump Speed: 80times/min(0.4kg/cm)

最低速度: 80times/min(0.4kg/cm)

Carton Measurement: 37x37x47cm/1pc/6kgs/5kgs/CTN

装箱尺寸: 37x37x47cm/1pc/6kgs/5kgs/CTN

86303

Working Presure: 20-100PSI(1.4-7.0BAR)

Fluid pressure: 20-100PSI(1.4-7.0BAR)

Max.particle size: 1/32" dia(1.0mm)

Max.circle per mintue:300

Pressure Rate: 1:1



NA-422

1 pint to gallon can,up to 16lbs Gross weight
Speed up to 700 cyles per minute @ 30°shake angle

Air pressure: 70-175PSI

工作压力: 70-175PSI

Air Consumption: 4.3 cfm with 1gallon can/16lbs.

空气消耗量: 4.3cfm 带一加仑桶

Measure: 42.5x39x24.5cm/1pc/9kgs/8kgs/CTN

尺寸: 42.5x39x24.5cm/1pc/9kgs/8kgs/CTN





PT-10

Tank Capacity: 10L
桶容量: 10L
Pressure Regulator: 1
压力调节阀: 1
Fluid Outlet: 2
出料接口: 2
Measure: 31x31x45.5cm/1pc
16KGS/14KGS
尺寸: 31x31x45.5cm/1pc
16KGS/14KGS



PT-10M

Tank Capacity: 10L
桶容量: 10L
Pressure Regulator: 1
压力调节阀: 1
Fluid Outlet: 2
出料接口: 2
Measure: 31x31x45.5cm/1pc
16KGS/14KGS
尺寸: 31x31x45.5cm/1pc
16KGS/14KGS



PT-20A

Actuated by air motor
气动马达驱动
Tank Capacity: 20L
桶容量: 20L
Pressure Regulator: 1
压力调节阀: 1
Fluid Outlet: 2
出料接口: 2
Inner tank included
内含内桶
Measure: 37x36.5x72.5cm/1pc
19KGS/17KGS
尺寸: 37x36.5x72.5cm/1pc
19KGS/17KGS



PT-40M

Tank Capacity: 40L
桶容量: 40L
Pressure Regulator: 1
压力调节阀: 1
Fluid Outlet: 2
出料接口: 2
Inner tank included
内含内桶
Measure: 52.5x50.5x78cm/1pc
27KGS/25KGS
尺寸: 52.5x50.5x78cm/1pc
27KGS/25KGS



PT-10A

Actuated by air motor
气动马达驱动
Tank Capacity: 10L
桶容量: 10L
Pressure Regulator: 1
压力调节阀: 1
Fluid Outlet: 2
出料接口: 2
Inner tank included
内含内桶
Measure: 35.5x35x68.5cm/1pc
18KGS/16KGS
尺寸: 35.5x35x68.5cm/1pc
18KGS/16KGS



PT-20M

Tank Capacity: 20L
桶容量: 20L
Pressure Regulator: 1
压力调节阀: 1
Fluid Outlet: 2
出料接口: 2
Inner tank included
内含内桶
Measure: 37x36.5x72.5cm/1pc
19KGS/17KGS
尺寸: 37x36.5x72.5cm/1pc
19KGS/17KGS



PT-40A

Actuated by air motor
气动马达驱动
Tank Capacity: 40L
桶容量: 40L
Pressure Regulator: 1
压力调节阀: 1
Fluid Outlet: 2
出料接口: 2
Inner tank included
内含内桶
Measure: 52.5x50.5x78cm/1pc
30KGS/28KGS
尺寸: 52.5x50.5x78cm/1pc
30KGS/28KGS



Air beater

This air beater widely used into big tanks, it keeps apart from depositing at the tank bottom
Measure: 46.5x41.5x81.5cm/pc
7kg/6kg/CTN
尺寸: 46.5x41.5x81.5cm/pc
7kg/6kg/CTN



PT-02K

Working pressure: 30-50PSI
工作压力: 30-50PSI
Air Inlet Thread: 1/4" PT19
进气接口: 1/4" PT19
Fluid Outlet Thread: 3/8"
出料接口: 3/8"
Cup Capacity: 2L
壶容量: 2L
Measure: 78x30.5x38.5cm/5pcs
18kgs/16kgs/CTN
尺寸: 78x30.5x38.5cm/5pcs
18kgs/16kgs/CTN



PT-02T

Working pressure: 30-50PSI
工作压力: 30-50PSI
Air Inlet Thread: 1/4" PT19
进气接口: 1/4" PT19
Fluid Outlet Thread: 3/8"
出料接口: 3/8"
Cup Capacity: 2L
壶容量: 2L
Measure: 78x30.5x38.5cm/5pcs
18kgs/16kgs/CTN
尺寸: 78x30.5x38.5cm/5pcs
18kgs/16kgs/CTN



PT-02W

Working pressure: 30-50PSI
工作压力: 30-50PSI
Air Inlet Thread: 1/4" PT19
进气接口: 1/4" PT19
Fluid Outlet Thread: 3/8"
出料接口: 3/8"
Cup Capacity: 2L
壶容量: 2L
Measure: 78x30.5x38.5cm/5pcs
18kgs/16kgs/CTN
尺寸: 78x30.5x38.5cm/5pcs
18kgs/16kgs/CTN

PT-02

Good application for painting walls, benches, vehicles, etc. The best results are obtained by spraying thin, even coats of paint. Let the layers dry in between coats.

Working Air pressure: 35PSI-50PSI
工作压力: 35PSI-50PSI
Cup Capacity: 2L
壶容量: 2L
Hose Size: 3/8"
管尺寸: 3/8"
Material Output: 11cfm
材料流量: 11cfm
Content: Air Spray gun Assembly(气动喷枪) 1pc
: Cover Assembly(盖子) 1pc
: Cup(壶) 1pc
: hose(管子) 2pcs
: Repair Kit(修理件) 1pc
Carton Measurement: 78x30.5x38.5cm/5pcs
18kgs/16kgs/CTN
装箱尺寸: 78x30.5x38.5cm/5pcs
18kgs/16kgs/CTN



85001(AFRL 80)

Pipe Size(管子尺寸): 1/4", 1/2", 3/8"
Endure Pressure(爆破压力): 15bar
Working Pressure(工作压力): 0-7Bar
Measure(尺寸): 46x35x25.5cm/10PC/12kgs/10kgs /CTN



NA-BC2000

Pipe Size(管子尺寸): 1/4", 1/2", 3/8"
Use Pressure(使用压力): 10Bar
Endure Pressure(爆破压力): 15bar
Working Pressure(工作压力): 0-7Bar



85005(AFR 80-II)

Pipe Size(管子尺寸): 1/4", 1/2", 3/8"
Endure Pressure(爆破压力): 15bar
Working Pressure(工作压力): 0-7Bar
Measure(尺寸): 55x25x34cm/20PC/12kgs/10kgs /CTN



NA-BFC2000

Pipe Size(管子尺寸): 1/4", 1/2", 3/8"
Use Pressure(使用压力): 10Bar
Endure Pressure(爆破压力): 15bar
Working Pressure(工作压力): 0-7Bar
Measure(尺寸): 48x35x25.5cm/20pcs/12kgs/10kgs/CTN



85006(AF 80)

Pipe Size(管子尺寸): 1/4", 1/2", 3/8"
Endure Pressure(爆破压力): 15bar
Working Pressure(工作压力): 0-7Bar
Measure(尺寸): 55x25x34cm/20PC/8kgs/6kgs /CTN



NA-BL2000

Pipe Size(管子尺寸): 1/4", 1/2", 3/8"
Use Pressure(使用压力): 10Bar
Endure Pressure(爆破压力): 15bar
Working Pressure(工作压力): 0-7Bar
Measure(尺寸): 55x25x34cm/20pcs/8kgs/6kgs/CTN



85002(AFRL 80-1)

Pipe Size (管子尺寸): 1/4", 1/2", 3/8"
Endure Pressure (爆破压力): 15bar
Working Pressure (工作压力): 0-7Bar
Measure (尺寸): 45x39.5x24cm/10PC/10kgs/9kgs /CTN



85004A(AFRL 80-3A)

Pipe Size (管子尺寸): 1/4", 1/2", 3/8"
Endure Pressure (爆破压力): 15bar
Working Pressure (工作压力): 0-7Bar
Measure (尺寸): 55.5x43x25.5cm/10PC/20kgs/18kgs /CTN



85008(AFR90B)

Pipe Size (管子尺寸): 1/4", 1/2", 3/8"
Endure Pressure (爆破压力): 6bar
Working Pressure (工作压力): 0-4Bar
Measure (尺寸): 47x40x17cm/50PCS/12kg/10kg/CTN



85014

MIN OILER
Thread Size (螺纹尺寸): 1/4" NPT or 1/4" BSP



85009(F90A)

Pipe Size (管子尺寸): 1/4"
Endure Pressure (爆破压力): 8bar
Working Pressure (工作压力): 0-6Bar
Measure (尺寸): 42x10.5x21cm/50PC
12kgs/10kgs /CTN



85010B

Pipe Size (管子尺寸): 1/4"
Endure Pressure (爆破压力): 15bar
Working Pressure (工作压力): 0-7Bar
Measure (尺寸): 45.5x39.5x17.5cm/50PCS
12kgs/11kgs/CTN



85010B

Pipe Size (管子尺寸): 1/4"
Endure Pressure (爆破压力): 15bar
Working Pressure (工作压力): 0-7Bar
Measure (尺寸): 45.5x39.5x17.5cm/50PCS
12kgs/11kgs/CTN



84001(12mm) 84002(50mm) 84003(80mm)

Inlet size (进气接口): 1/4" NPT or BSP
Material (材质): Aluminum
Measure (尺寸): 40x39x20cm/50pcs/12kgs/10kgs/CTN
Packing (包装): Slide card for each pc (插卡)



84004(12mm) 84005(50mm) 84006(80mm)

Inlet size (进气接口): 1/4" NPT or BSP
Material (材质): Aluminum
Measure (尺寸): 45x25x26cm/50pcs/12kgs/10kgs/CTN
Packing (包装): Slide card for each pc (插卡)




84007(12mm) 84008(50mm) 84009(80mm)

Inlet size (进气接口): 1/4" NPT or BSP
Material (材质): Aluminum
Measure (尺寸): 59.5x44.5x31cm/100pcs/21kgs/19kgs/CTN
Packing (包装): Slide card for each pc (插卡)



84025(12mm) 84011(50mm) 84026(80mm)

Inlet size (进气接口): 1/4" NPT or BSP
Material (材质): Plastic
Measure (尺寸): 40x39x20cm/50pcs/8kgs/6kgs/CTN
Packing (包装): Slide card for each pc (插卡)



84030(12mm)
84031(50mm)
84032(80mm)

Inlet size (进气接口): 1/4" NPT or BSP
Material (材质): Aluminum
Measure (尺寸): 82x24x25.5cm/50pcs/16kgs/15kgs/CTN
Packing (包装): Slide card for each pc (插卡)



84010

Inlet size (进气接口): 1/4" NPT or BSP
Material (材料): Aluminum & PE
Measure (尺寸): 40x39x42cm/20pcs/8kgs/6kgs/CTN



84000

84000P

Inlet thread size: 1/4" NPT or BSP
进气接口: 1/4" NPT or BSP
Material: Aluminum
材质: 铝



5PC Air duster kit

Air duster gun: 1PC
Nozzle: 2PC
Quick coupler: 1PC
Fitting+Screw cap: 1SET
Inlet thread size: 1/4" BSP
Material: Aluminum
Packing: Slide card for each set
Carton measurement: 53x36x30cm/50pcs



85012(TG-3)

TIRE INFLATOR
Measure: 76.5x35.5x32cm/50PCS/21kgs/19kgs/CTN



85011(TG-6)

TIRE INFLATOR
Measure: 90x31x36.5cm/50PCS/22kgs/20kgs/CTN



TG-4A

TIRE INFLATOR
Measure: 54x47x34.5cm/40PCS/22kgs/20kgs/CTN



85015(TG-7)

TIRE INFLATOR
Measure: 78.5x45x16cm/20PCS/12kgs/10kgs/CTN



(TG-5)

TIRE INFLATOR
Measure: 66.5x36x23cm/40PCS/16kgs/14kgs/C



(TG-8)

TIRE GAUGE
Measure: 61.5x35x31cm/50PCS/14kgs/12kgs/CTN

					
NA-CUP-001	NA-CUP-002	NA-CUP-003	NA-CUP-004	NA-CUP-005	NA-CUP-006
					
NA-CUP-007	NA-CUP-008	NA-CUP-009	NA-CUP-010	NA-CUP-011	
					
NA-CUP-012	NA-CUP-013	NA-CUP-014	NA-CUP-015	NA-CUP-016	
					
NA-CUP-017	NA-CUP-018	NA-CUP-019	NA-CUP-020		

				
NA-CUP-021	NA-CUP-022	NA-CUP-023	NA-CUP-024	NA-CUP-025
				
NA-CUP-026	NA-CUP-027	NA-CUP-028	NA-CUP-029	
				
NAP-001	NAP-002	NAP-003		
				
NAP-004	NAP-005	NAP-101		
				
NAF-001	NAF-002	NAF-003	NAF-004	NAF-005